



Backup Ring Size Chart

Savvy Rubber & Plastics
sales@savvyrubber.com
<https://savvyrubber.com>

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
004	0.096	0.053	0.049	0.045	2.440	1.350	1.24	1.14
005	0.127	0.053	0.049	0.045	3.230	1.350	1.24	1.14
006	0.14	0.053	0.049	0.045	3.560	1.350	1.24	1.14
007	0.171	0.053	0.049	0.045	4.340	1.350	1.24	1.14
008	0.202	0.053	0.049	0.045	5.130	1.350	1.24	1.14
009	0.234	0.053	0.049	0.045	5.940	1.350	1.24	1.14
010	0.265	0.053	0.049	0.045	6.730	1.350	1.24	1.14
011	0.327	0.053	0.049	0.045	8.310	1.350	1.24	1.14
012	0.39	0.053	0.049	0.045	9.910	1.350	1.24	1.14
013	0.455	0.053	0.049	0.045	11.560	1.350	1.24	1.14
014	0.518	0.053	0.049	0.045	13.160	1.350	1.24	1.14
015	0.58	0.053	0.049	0.045	14.730	1.350	1.24	1.14
016	0.643	0.053	0.049	0.045	16.330	1.350	1.24	1.14
017	0.705	0.053	0.049	0.045	17.910	1.350	1.24	1.14
018	0.768	0.053	0.049	0.045	19.510	1.350	1.24	1.14
019	0.83	0.053	0.049	0.045	21.080	1.350	1.24	1.14
020	0.893	0.053	0.049	0.045	22.680	1.350	1.24	1.14
021	0.955	0.053	0.049	0.045	24.260	1.350	1.24	1.14
022	1.018	0.053	0.049	0.045	25.860	1.350	1.24	1.14
023	1.08	0.053	0.049	0.045	27.430	1.350	1.24	1.14
024	1.143	0.053	0.049	0.045	29.030	1.350	1.24	1.14
025	1.205	0.053	0.049	0.045	30.610	1.350	1.24	1.14
026	1.268	0.053	0.049	0.045	32.210	1.350	1.24	1.14
027	1.33	0.053	0.049	0.045	33.780	1.350	1.24	1.14
028	1.393	0.053	0.049	0.045	35.380	1.350	1.24	1.14
029	1.518	0.053	0.049	0.045	38.560	1.350	1.24	1.14
030	1.643	0.053	0.049	0.045	41.730	1.350	1.24	1.14
031	1.768	0.053	0.049	0.045	44.910	1.350	1.24	1.14
032	1.893	0.053	0.049	0.045	48.080	1.350	1.24	1.14
033	2.018	0.053	0.049	0.045	51.260	1.350	1.24	1.14
034	2.143	0.053	0.049	0.045	54.430	1.350	1.24	1.14
035	2.268	0.053	0.049	0.045	57.610	1.350	1.24	1.14
036	2.393	0.053	0.049	0.045	60.780	1.350	1.24	1.14
037	2.519	0.053	0.049	0.045	63.980	1.350	1.24	1.14

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
038	2.643	0.053	0.049	0.045	67.130	1.350	1.24	1.14
039	2.768	0.053	0.049	0.045	70.310	1.350	1.24	1.14
040	2.893	0.053	0.049	0.045	73.480	1.350	1.24	1.14
041	3.018	0.053	0.049	0.045	76.660	1.350	1.24	1.14
042	3.268	0.053	0.049	0.045	83.010	1.350	1.24	1.14
043	3.518	0.053	0.049	0.045	89.360	1.350	1.24	1.14
044	3.768	0.053	0.049	0.045	95.710	1.350	1.24	1.14
045	4.018	0.053	0.049	0.045	102.060	1.350	1.24	1.14
046	4.268	0.053	0.049	0.045	108.410	1.350	1.24	1.14
047	4.518	0.053	0.049	0.045	114.760	1.350	1.24	1.14
048	4.768	0.053	0.049	0.045	121.110	1.350	1.24	1.14
049	5.018	0.053	0.049	0.045	127.460	1.350	1.24	1.14
050	5.268	0.053	0.049	0.045	133.810	1.350	1.24	1.14
102	0.077	0.086	0.053	0.045	1.960	2.180	1.35	1.14
103	0.109	0.086	0.053	0.045	2.770	2.180	1.35	1.14
104	0.14	0.086	0.053	0.045	3.560	2.180	1.35	1.14
105	0.171	0.086	0.053	0.045	4.340	2.180	1.35	1.14
106	0.202	0.086	0.053	0.045	5.130	2.180	1.35	1.14
107	0.234	0.086	0.053	0.045	5.940	2.180	1.35	1.14
108	0.265	0.086	0.053	0.045	6.730	2.180	1.35	1.14
109	0.327	0.086	0.053	0.045	8.310	2.180	1.35	1.14
110	0.39	0.086	0.053	0.045	9.910	2.180	1.35	1.14
111	0.452	0.086	0.053	0.045	11.480	2.180	1.35	1.14
112	0.515	0.086	0.053	0.045	13.080	2.180	1.35	1.14
113	0.577	0.086	0.053	0.045	14.660	2.180	1.35	1.14
114	0.64	0.086	0.053	0.045	16.260	2.180	1.35	1.14
115	0.702	0.086	0.053	0.045	17.830	2.180	1.35	1.14
116	0.765	0.086	0.053	0.045	19.430	2.180	1.35	1.14
117	0.831	0.086	0.053	0.045	21.110	2.180	1.35	1.14
118	0.893	0.086	0.053	0.045	22.680	2.180	1.35	1.14
119	0.956	0.086	0.053	0.045	24.280	2.180	1.35	1.14
120	1.018	0.086	0.053	0.045	25.860	2.180	1.35	1.14
121	1.081	0.086	0.053	0.045	27.460	2.180	1.35	1.14
122	1.143	0.086	0.053	0.045	29.030	2.180	1.35	1.14

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
123	1.206	0.086	0.053	0.045	30.630	2.180	1.35	1.14
124	1.268	0.086	0.053	0.045	32.210	2.180	1.35	1.14
125	1.331	0.086	0.053	0.045	33.810	2.180	1.35	1.14
126	1.393	0.086	0.053	0.045	35.380	2.180	1.35	1.14
127	1.456	0.086	0.053	0.045	36.980	2.180	1.35	1.14
128	1.518	0.086	0.053	0.045	38.560	2.180	1.35	1.14
129	1.581	0.086	0.053	0.045	40.160	2.180	1.35	1.14
130	1.643	0.086	0.053	0.045	41.730	2.180	1.35	1.14
131	1.706	0.086	0.053	0.045	43.330	2.180	1.35	1.14
132	1.768	0.086	0.053	0.045	44.910	2.180	1.35	1.14
133	1.831	0.086	0.053	0.045	46.510	2.180	1.35	1.14
134	1.893	0.086	0.053	0.045	48.080	2.180	1.35	1.14
135	1.956	0.086	0.053	0.045	49.680	2.180	1.35	1.14
136	2.018	0.086	0.053	0.045	51.260	2.180	1.35	1.14
137	2.081	0.086	0.053	0.045	52.860	2.180	1.35	1.14
138	2.143	0.086	0.053	0.045	54.430	2.180	1.35	1.14
139	2.206	0.086	0.053	0.045	56.030	2.180	1.35	1.14
140	2.268	0.086	0.053	0.045	57.610	2.180	1.35	1.14
141	2.331	0.086	0.053	0.045	59.210	2.180	1.35	1.14
142	2.393	0.086	0.053	0.045	60.780	2.180	1.35	1.14
143	2.456	0.086	0.053	0.045	62.380	2.180	1.35	1.14
144	2.528	0.086	0.053	0.045	64.210	2.180	1.35	1.14
145	2.518	0.086	0.053	0.045	63.960	2.180	1.35	1.14
146	2.643	0.086	0.053	0.045	67.130	2.180	1.35	1.14
147	2.706	0.086	0.053	0.045	68.730	2.180	1.35	1.14
148	2.768	0.086	0.053	0.045	70.310	2.180	1.35	1.14
149	2.831	0.086	0.053	0.045	71.910	2.180	1.35	1.14
150	2.893	0.086	0.053	0.045	73.480	2.180	1.35	1.14
151	3.018	0.086	0.053	0.045	76.660	2.180	1.35	1.14
152	3.268	0.086	0.053	0.045	83.010	2.180	1.35	1.14
153	3.518	0.086	0.053	0.045	89.360	2.180	1.35	1.14
154	3.768	0.086	0.053	0.045	95.710	2.180	1.35	1.14
155	4.018	0.086	0.053	0.045	102.060	2.180	1.35	1.14
156	4.268	0.086	0.053	0.045	108.410	2.180	1.35	1.14

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
157	4.518	0.086	0.053	0.045	114.760	2.180	1.35	1.14
158	4.768	0.086	0.053	0.045	121.110	2.180	1.35	1.14
159	5.018	0.086	0.053	0.045	127.460	2.180	1.35	1.14
160	5.268	0.086	0.053	0.045	133.810	2.180	1.35	1.14
161	5.518	0.086	0.053	0.045	140.160	2.180	1.35	1.14
162	5.768	0.086	0.053	0.045	146.510	2.180	1.35	1.14
163	6.018	0.086	0.053	0.045	152.860	2.180	1.35	1.14
164	6.238	0.086	0.053	0.045	158.450	2.180	1.35	1.14
165	6.518	0.086	0.053	0.045	165.560	2.180	1.35	1.14
166	6.768	0.086	0.053	0.045	171.910	2.180	1.35	1.14
167	7.018	0.086	0.053	0.045	178.260	2.180	1.35	1.14
168	7.268	0.086	0.053	0.045	184.610	2.180	1.35	1.14
169	7.518	0.086	0.053	0.045	190.960	2.180	1.35	1.14
170	7.768	0.086	0.053	0.045	197.310	2.180	1.35	1.14
171	8.018	0.086	0.053	0.045	203.660	2.180	1.35	1.14
172	8.268	0.086	0.053	0.045	210.010	2.180	1.35	1.14
173	8.518	0.086	0.053	0.045	216.360	2.180	1.35	1.14
174	8.768	0.086	0.053	0.045	222.710	2.180	1.35	1.14
175	9.018	0.086	0.053	0.045	229.060	2.180	1.35	1.14
176	9.268	0.086	0.053	0.045	235.410	2.180	1.35	1.14
177	9.518	0.086	0.053	0.045	241.760	2.180	1.35	1.14
178	9.768	0.086	0.053	0.045	248.110	2.180	1.35	1.14
201	0.202	0.118	0.05	0.040	5.130	3.000	1.27	1.02
202	0.265	0.118	0.05	0.040	6.730	3.000	1.27	1.02
203	0.327	0.118	0.05	0.040	8.310	3.000	1.27	1.02
204	0.39	0.118	0.05	0.040	9.910	3.000	1.27	1.02
205	0.455	0.118	0.05	0.040	11.560	3.000	1.27	1.02
206	0.518	0.118	0.05	0.040	13.160	3.000	1.27	1.02
207	0.58	0.118	0.05	0.040	14.730	3.000	1.27	1.02
208	0.643	0.118	0.05	0.040	16.330	3.000	1.27	1.02
209	0.705	0.118	0.05	0.040	17.910	3.000	1.27	1.02
210	0.765	0.118	0.05	0.040	19.430	3.000	1.27	1.02
211	0.828	0.118	0.05	0.040	21.030	3.000	1.27	1.02
212	0.891	0.118	0.05	0.040	22.630	3.000	1.27	1.02

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
213	0.953	0.118	0.05	0.040	24.210	3.000	1.27	1.02
214	1.016	0.118	0.05	0.040	25.810	3.000	1.27	1.02
215	1.078	0.118	0.05	0.040	27.380	3.000	1.27	1.02
216	1.141	0.118	0.05	0.040	28.980	3.000	1.27	1.02
217	1.203	0.118	0.05	0.040	30.560	3.000	1.27	1.02
218	1.266	0.118	0.05	0.040	32.160	3.000	1.27	1.02
219	1.334	0.118	0.05	0.040	33.880	3.000	1.27	1.02
220	1.397	0.118	0.05	0.040	35.480	3.000	1.27	1.02
221	1.459	0.118	0.05	0.040	37.060	3.000	1.27	1.02
222	1.522	0.118	0.05	0.040	38.660	3.000	1.27	1.02
223	1.647	0.118	0.05	0.040	41.830	3.000	1.27	1.02
224	1.772	0.118	0.05	0.040	45.010	3.000	1.27	1.02
225	1.897	0.118	0.05	0.040	48.180	3.000	1.27	1.02
226	2.022	0.118	0.05	0.040	51.360	3.000	1.27	1.02
227	2.147	0.118	0.05	0.040	54.530	3.000	1.27	1.02
228	2.272	0.118	0.05	0.040	57.710	3.000	1.27	1.02
229	2.397	0.118	0.05	0.040	60.880	3.000	1.27	1.02
230	2.522	0.118	0.05	0.040	64.060	3.000	1.27	1.02
231	2.631	0.118	0.05	0.040	66.830	3.000	1.27	1.02
232	2.756	0.118	0.05	0.040	70.000	3.000	1.27	1.02
233	2.881	0.118	0.05	0.040	73.180	3.000	1.27	1.02
234	3.006	0.118	0.05	0.040	76.350	3.000	1.27	1.02
235	3.131	0.118	0.05	0.040	79.530	3.000	1.27	1.02
236	3.256	0.118	0.05	0.040	82.700	3.000	1.27	1.02
237	3.381	0.118	0.05	0.040	85.880	3.000	1.27	1.02
238	3.506	0.118	0.05	0.040	89.050	3.000	1.27	1.02
239	3.631	0.118	0.05	0.040	92.230	3.000	1.27	1.02
240	3.756	0.118	0.05	0.040	95.400	3.000	1.27	1.02
241	3.881	0.118	0.05	0.040	98.580	3.000	1.27	1.02
242	4.006	0.118	0.05	0.040	101.750	3.000	1.27	1.02
243	4.131	0.118	0.05	0.040	104.930	3.000	1.27	1.02
244	4.256	0.118	0.05	0.040	108.100	3.000	1.27	1.02
245	4.381	0.118	0.05	0.040	111.280	3.000	1.27	1.02
246	4.506	0.118	0.05	0.040	114.450	3.000	1.27	1.02

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
247	4.631	0.118	0.05	0.040	117.630	3.000	1.27	1.02
248	4.768	0.118	0.05	0.040	121.110	3.000	1.27	1.02
249	4.893	0.118	0.05	0.040	124.280	3.000	1.27	1.02
250	5.018	0.118	0.05	0.040	127.460	3.000	1.27	1.02
251	5.143	0.118	0.05	0.040	130.630	3.000	1.27	1.02
252	5.268	0.118	0.05	0.040	133.810	3.000	1.27	1.02
253	5.393	0.118	0.05	0.040	136.980	3.000	1.27	1.02
254	5.518	0.118	0.05	0.040	140.160	3.000	1.27	1.02
255	5.643	0.118	0.05	0.040	143.330	3.000	1.27	1.02
256	5.768	0.118	0.05	0.040	146.510	3.000	1.27	1.02
257	5.893	0.118	0.05	0.040	149.680	3.000	1.27	1.02
258	6.018	0.118	0.05	0.040	152.860	3.000	1.27	1.02
259	6.268	0.118	0.05	0.040	159.210	3.000	1.27	1.02
260	6.518	0.118	0.05	0.040	165.560	3.000	1.27	1.02
261	6.768	0.118	0.05	0.040	171.910	3.000	1.27	1.02
262	7.018	0.118	0.05	0.040	178.260	3.000	1.27	1.02
263	7.268	0.118	0.05	0.040	184.610	3.000	1.27	1.02
264	7.518	0.118	0.05	0.040	190.960	3.000	1.27	1.02
265	7.768	0.118	0.05	0.040	197.310	3.000	1.27	1.02
266	8.018	0.118	0.05	0.040	203.660	3.000	1.27	1.02
267	8.268	0.118	0.05	0.040	210.010	3.000	1.27	1.02
268	8.518	0.118	0.05	0.040	216.360	3.000	1.27	1.02
269	8.768	0.118	0.05	0.040	222.710	3.000	1.27	1.02
270	9.018	0.118	0.05	0.040	229.060	3.000	1.27	1.02
271	9.268	0.118	0.05	0.040	235.410	3.000	1.27	1.02
272	9.518	0.118	0.05	0.040	241.760	3.000	1.27	1.02
273	9.768	0.118	0.05	0.040	248.110	3.000	1.27	1.02
274	10.018	0.118	0.05	0.040	254.460	3.000	1.27	1.02
275	10.518	0.118	0.05	0.040	267.160	3.000	1.27	1.02
276	11.018	0.118	0.05	0.040	279.860	3.000	1.27	1.02
277	11.518	0.118	0.05	0.040	292.560	3.000	1.27	1.02
278	12.018	0.118	0.05	0.040	305.260	3.000	1.27	1.02
279	13.018	0.118	0.05	0.040	330.660	3.000	1.27	1.02
280	14.018	0.118	0.05	0.040	356.060	3.000	1.27	1.02

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
281	15.018	0.118	0.05	0.040	381.460	3.000	1.27	1.02
282	15.989	0.118	0.05	0.040	406.120	3.000	1.27	1.02
283	16.989	0.118	0.05	0.040	431.520	3.000	1.27	1.02
284	17.989	0.118	0.05	0.040	456.920	3.000	1.27	1.02
309	0.45	0.183	0.076	0.060	11.430	4.650	1.93	1.52
310	0.513	0.183	0.076	0.060	13.030	4.650	1.93	1.52
311	0.575	0.183	0.076	0.060	14.610	4.650	1.93	1.52
312	0.638	0.183	0.076	0.060	16.210	4.650	1.93	1.52
313	0.7	0.183	0.076	0.060	17.780	4.650	1.93	1.52
314	0.763	0.183	0.076	0.060	19.380	4.650	1.93	1.52
315	0.825	0.183	0.076	0.060	20.960	4.650	1.93	1.52
316	0.888	0.183	0.076	0.060	22.560	4.650	1.93	1.52
317	0.95	0.183	0.076	0.060	24.130	4.650	1.93	1.52
318	1.013	0.183	0.076	0.060	25.730	4.650	1.93	1.52
319	1.075	0.183	0.076	0.060	27.310	4.650	1.93	1.52
320	1.138	0.183	0.076	0.060	28.910	4.650	1.93	1.52
321	1.2	0.183	0.076	0.060	30.480	4.650	1.93	1.52
322	1.263	0.183	0.076	0.060	32.080	4.650	1.93	1.52
323	1.316	0.183	0.076	0.060	33.430	4.650	1.93	1.52
324	1.388	0.183	0.076	0.060	35.260	4.650	1.93	1.52
325	1.513	0.183	0.076	0.060	38.430	4.650	1.93	1.52
326	1.638	0.183	0.076	0.060	41.610	4.650	1.93	1.52
327	1.763	0.183	0.076	0.060	44.780	4.650	1.93	1.52
328	1.888	0.183	0.076	0.060	47.960	4.650	1.93	1.52
329	2.013	0.183	0.076	0.060	51.130	4.650	1.93	1.52
330	2.138	0.183	0.076	0.060	54.310	4.650	1.93	1.52
331	2.268	0.183	0.076	0.060	57.610	4.650	1.93	1.52
332	2.393	0.183	0.076	0.060	60.780	4.650	1.93	1.52
333	2.518	0.183	0.076	0.060	63.960	4.650	1.93	1.52
334	2.643	0.183	0.076	0.060	67.130	4.650	1.93	1.52
335	2.768	0.183	0.076	0.060	70.310	4.650	1.93	1.52
336	2.893	0.183	0.076	0.060	73.480	4.650	1.93	1.52
337	3.018	0.183	0.076	0.060	76.660	4.650	1.93	1.52
338	3.143	0.183	0.076	0.060	79.830	4.650	1.93	1.52

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
339	3.273	0.183	0.076	0.060	83.130	4.650	1.93	1.52
340	3.398	0.183	0.076	0.060	86.310	4.650	1.93	1.52
341	3.523	0.183	0.076	0.060	89.480	4.650	1.93	1.52
342	3.648	0.183	0.076	0.060	92.660	4.650	1.93	1.52
343	3.773	0.183	0.076	0.060	95.830	4.650	1.93	1.52
344	3.898	0.183	0.076	0.060	99.010	4.650	1.93	1.52
345	4.028	0.183	0.076	0.060	102.310	4.650	1.93	1.52
346	4.153	0.183	0.076	0.060	105.490	4.650	1.93	1.52
347	4.278	0.183	0.076	0.060	108.660	4.650	1.93	1.52
348	4.403	0.183	0.076	0.060	111.840	4.650	1.93	1.52
349	4.528	0.183	0.076	0.060	115.010	4.650	1.93	1.52
350	4.653	0.183	0.076	0.060	118.190	4.650	1.93	1.52
351	4.778	0.183	0.076	0.060	121.360	4.650	1.93	1.52
352	4.903	0.183	0.076	0.060	124.540	4.650	1.93	1.52
353	5.028	0.183	0.076	0.060	127.710	4.650	1.93	1.52
354	5.153	0.183	0.076	0.060	130.890	4.650	1.93	1.52
355	5.278	0.183	0.076	0.060	134.060	4.650	1.93	1.52
356	5.403	0.183	0.076	0.060	137.240	4.650	1.93	1.52
357	5.528	0.183	0.076	0.060	140.410	4.650	1.93	1.52
358	5.653	0.183	0.076	0.060	143.590	4.650	1.93	1.52
359	5.778	0.183	0.076	0.060	146.760	4.650	1.93	1.52
360	5.903	0.183	0.076	0.060	149.940	4.650	1.93	1.52
361	6.028	0.183	0.076	0.060	153.110	4.650	1.93	1.52
362	6.278	0.183	0.076	0.060	159.460	4.650	1.93	1.52
363	6.528	0.183	0.076	0.060	165.810	4.650	1.93	1.52
364	6.778	0.183	0.076	0.060	172.160	4.650	1.93	1.52
365	7.028	0.183	0.076	0.060	178.510	4.650	1.93	1.52
366	7.278	0.183	0.076	0.060	184.860	4.650	1.93	1.52
367	7.528	0.183	0.076	0.060	191.210	4.650	1.93	1.52
368	7.778	0.183	0.076	0.060	197.560	4.650	1.93	1.52
369	8.028	0.183	0.076	0.060	203.910	4.650	1.93	1.52
370	8.278	0.183	0.076	0.060	210.260	4.650	1.93	1.52
371	8.528	0.183	0.076	0.060	216.610	4.650	1.93	1.52
372	8.778	0.183	0.076	0.060	222.960	4.650	1.93	1.52

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
373	9.028	0.183	0.076	0.060	229.310	4.650	1.93	1.52
374	9.278	0.183	0.076	0.060	235.660	4.650	1.93	1.52
375	9.528	0.183	0.076	0.060	242.010	4.650	1.93	1.52
376	9.778	0.183	0.076	0.060	248.360	4.650	1.93	1.52
377	10.028	0.183	0.076	0.060	254.710	4.650	1.93	1.52
378	10.528	0.183	0.076	0.060	267.410	4.650	1.93	1.52
379	11.028	0.183	0.076	0.060	280.110	4.650	1.93	1.52
380	11.528	0.183	0.076	0.060	292.810	4.650	1.93	1.52
381	12.028	0.183	0.076	0.060	305.510	4.650	1.93	1.52
382	13.028	0.183	0.076	0.060	330.910	4.650	1.93	1.52
383	14.028	0.183	0.076	0.060	356.310	4.650	1.93	1.52
384	15.028	0.183	0.076	0.060	381.710	4.650	1.93	1.52
385	16.008	0.183	0.076	0.060	406.600	4.650	1.93	1.52
386	17.008	0.183	0.076	0.060	432.000	4.650	1.93	1.52
387	18.008	0.183	0.076	0.060	457.400	4.650	1.93	1.52
388	19.006	0.183	0.076	0.060	482.750	4.650	1.93	1.52
389	20.006	0.183	0.076	0.060	508.150	4.650	1.93	1.52
390	21.006	0.183	0.076	0.060	533.550	4.650	1.93	1.52
391	22.006	0.183	0.076	0.060	558.950	4.650	1.93	1.52
392	22.993	0.183	0.076	0.060	584.020	4.650	1.93	1.52
393	23.993	0.183	0.076	0.060	609.420	4.650	1.93	1.52
394	24.993	0.183	0.076	0.060	634.820	4.650	1.93	1.52
395	25.993	0.183	0.076	0.060	660.220	4.650	1.93	1.52
425	4.551	0.236	0.117	0.095	115.600	5.990	2.97	2.41
426	4.676	0.236	0.117	0.095	118.770	5.990	2.97	2.41
427	4.801	0.236	0.117	0.095	121.950	5.990	2.97	2.41
428	4.926	0.236	0.117	0.095	125.120	5.990	2.97	2.41
429	5.051	0.236	0.117	0.095	128.300	5.990	2.97	2.41
430	5.176	0.236	0.117	0.095	131.470	5.990	2.97	2.41
431	5.301	0.236	0.117	0.095	134.650	5.990	2.97	2.41
432	5.426	0.236	0.117	0.095	137.820	5.990	2.97	2.41
433	5.551	0.236	0.117	0.095	141.000	5.990	2.97	2.41
434	5.676	0.236	0.117	0.095	144.170	5.990	2.97	2.41
435	5.801	0.236	0.117	0.095	147.350	5.990	2.97	2.41

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
436	5.926	0.236	0.117	0.095	150.520	5.990	2.97	2.41
437	6.051	0.236	0.117	0.095	153.700	5.990	2.97	2.41
438	6.274	0.236	0.117	0.095	159.360	5.990	2.97	2.41
439	6.525	0.236	0.117	0.095	165.740	5.990	2.97	2.41
440	6.774	0.236	0.117	0.095	172.060	5.990	2.97	2.41
441	7.024	0.236	0.117	0.095	178.410	5.990	2.97	2.41
442	7.274	0.236	0.117	0.095	184.760	5.990	2.97	2.41
443	7.524	0.236	0.117	0.095	191.110	5.990	2.97	2.41
444	7.774	0.236	0.117	0.095	197.460	5.990	2.97	2.41
445	8.024	0.236	0.117	0.095	203.810	5.990	2.97	2.41
446	8.524	0.236	0.117	0.095	216.510	5.990	2.97	2.41
447	9.024	0.236	0.117	0.095	229.210	5.990	2.97	2.41
448	9.524	0.236	0.117	0.095	241.910	5.990	2.97	2.41
449	10.024	0.236	0.117	0.095	254.610	5.990	2.97	2.41
450	10.524	0.236	0.117	0.095	267.310	5.990	2.97	2.41
451	11.024	0.236	0.117	0.095	280.010	5.990	2.97	2.41
452	11.524	0.236	0.117	0.095	292.710	5.990	2.97	2.41
453	12.024	0.236	0.117	0.095	305.410	5.990	2.97	2.41
454	12.524	0.236	0.117	0.095	318.110	5.990	2.97	2.41
455	13.024	0.236	0.117	0.095	330.810	5.990	2.97	2.41
456	13.524	0.236	0.117	0.095	343.510	5.990	2.97	2.41
457	14.024	0.236	0.117	0.095	356.210	5.990	2.97	2.41
458	14.554	0.236	0.117	0.095	369.670	5.990	2.97	2.41
459	15.024	0.236	0.117	0.095	381.610	5.990	2.97	2.41
460	15.524	0.236	0.117	0.095	394.310	5.990	2.97	2.41
461	16.004	0.236	0.117	0.095	406.500	5.990	2.97	2.41
462	16.504	0.236	0.117	0.095	419.200	5.990	2.97	2.41
463	17.004	0.236	0.117	0.095	431.900	5.990	2.97	2.41
464	17.504	0.236	0.117	0.095	444.600	5.990	2.97	2.41
465	18.004	0.236	0.117	0.095	457.300	5.990	2.97	2.41
466	18.504	0.236	0.117	0.095	470.000	5.990	2.97	2.41
467	19.004	0.236	0.117	0.095	482.700	5.990	2.97	2.41
468	19.504	0.236	0.117	0.095	495.400	5.990	2.97	2.41
469	20.004	0.236	0.117	0.095	508.100	5.990	2.97	2.41

USA	Imperial Size in Inches				Metric Size in Millimeters			
Dash No.	ID (inch)	W (inch)	T (inch)	A (inch)	ID (mm)	W (mm)	T (mm)	A (mm)
470	21.004	0.236	0.117	0.095	533.500	5.990	2.97	2.41
471	22.004	0.236	0.117	0.095	558.900	5.990	2.97	2.41
472	23.004	0.236	0.117	0.095	584.300	5.990	2.97	2.41
473	24.004	0.236	0.117	0.095	609.700	5.990	2.97	2.41
474	25.004	0.236	0.117	0.095	635.100	5.990	2.97	2.41
475	26.004	0.236	0.117	0.095	660.500	5.990	2.97	2.41